

according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

1 Identification

Product identifier

Trade name: LUCITE® 408 MultiResist Pro

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coating agent

Uses advised against

This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Dörken Coatings GmbH & Co. KG

Wetterstr. 58 58313 Herdecke

Germany

www.doerkencoatings.de

Phone: +49 2330 63 243 Fax: +49 2330 63 100 243

Further information obtainable from: msds.coatings@doerken.de

Emergency telephone number:

Australia: 61-290372994

United Kingdom: 44-870-8200418 and 44-2038073798

2 Hazard(s) Identification

Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

Label elements

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 1)

Dangerous components:

93763-70-3 amorpohous alimina silicate

<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

Description of first aid measures

General information:

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash with plenty of soap and water.

After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

5 Fire Fighting Measures

Extinguishing media

Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO₂), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 2)

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Keep contaminated washing water and dispose of appropriately.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

Handling:

Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes.

Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Make sure spills can be contained, e.g. in sump pallets.

Protect from frost, heat and direct sunlight. Keep tightly closed, cool and dry.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

Storage class: 12

Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities:

Ensure a good ventilation. This can be achieved by local exhaustion or general exhaust air.

(Contd. on page 4)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 3)

Control parameters

	Ingredients with	n limit values that require monitoring at the workplace:			
Ī	93763-70-3 amo	3 amorpohous alimina silicate			
Ī	WES (Australia)	Long-term value: 10 mg/m³			
	PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction			
	REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction			
	TLV (USA)	TLV withdrawn			

Regulatory information

PEL (USA): Guide to Occupational Exposure Values (OSHA PELs) REL (USA): Guide to Occupational Exposure Values (NIOSH RELs)

TLV (USA): Guide to Occupational Exposure Values (TLV)

Additional information: The lists valid during the making were used as basis.

Exposure controls Provide good ventilation and/or an exhaust system in the work area.

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Respiratory protection:

Use always breathing protection with splashing medium.

Use combination filter type A(-P2) according to EN 141.

Protection of hands:

Work with gloves. Gloves must be inspected for damage before use. Defective or damaged gloves must not be used. Gloves must satisfy the specifications of EC directive 89/686/EWG and standard EN 374.

Material of gloves

Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Wear protective goggles to protect against splashing.

(Contd. on page 5)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 4)

Body protection: Impervious protective clothing

9 Physical and Chemical Properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

Colour: Different according to colouring

Odour: Low odour

Odour threshold: For mixtures not applicable.

pH-value at 20 °C: 10-<11.5

Change in condition

Melting point/Freezing point: Not security-related.

Initial boiling point and boiling range: 100 °C

Flash point: Not applicable.

Flammability (solid, gas): Not applicable.

Ignition temperature: Not applicable.

Decomposition temperature: For mixtures not applicable.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. **Upper:** Not determined.

Oxidising properties In its condition as supplied, the product is neither flammable nor

oxidising.

Vapour pressure at 20 °C: 23 hPa

Density at 20 °C: 1.51-1.63 g/cm³

Vapour density Not applicable.

Evaporation rate For mixtures not applicable.

Solubility in / Miscibility with

water: Miscible / waterdilutable.

polar solvents: Partly miscible.

non-polar solvents: Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: For mixtures not applicable.

(Contd. on page 6)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 5)

Viceoitu	Not accomity valeted
Viscosity:	Not security-related.
Other information	No further relevant information available.

10 Stability and Reactivity

Reactivity

No dangerous reactions are known.

No further relevant information available.

Chemical stability Product is stable under normal storage conditions.

Possibility of hazardous reactions

No dangerous reactions known.

No dangerous reactions are known.

Conditions to avoid No further relevant information available.

Incompatible materials: strong oxidizing agents

Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

11 Toxicological Information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification: No further relevant information available.

Specific symptoms in biological assay:

Skin corrosion/irritation May cause irritations.

Serious eye damage/irritation May cause irritations.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information: Carcinogenic.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties).

Aspiration hazard

The mixture contains no or only small amounts of materials which are classified as an aspiration hazard. It can therefore be assumed that the mixture is not an aspiration hazard.

12 Ecological Information

Toxicity

Aquatic toxicity: There are no statements/information available of the preparation.

Persistence and degradability No further relevant information available.

(Contd. on page 7)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 6)

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

14 Transport information				
UN-Number ADG, ADN, IMDG, IATA	Void			
UN proper shipping name	Volu			
ADG, ADN, IMDG, IATA	Void			
Transport hazard class(es)				
ADG, ADN, IMDG, IATA				
Class	Void			
Packing group				
ADG, IMDG, IATA	Void			
Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex I	Transport in bulk according to Annex II of Marpol			
and the IBC Code	Not applicable.			

(Contd. on page 8)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 7)

UN "Model Regulation":

Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian In	Australian Inventory of Industrial Chemicals	
7732-18-5	water	
1317-65-3	Limestone	
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)	
13463-67-7	Titanium dioxide	
93763-70-3	amorpohous alimina silicate	
9004-62-0	Hydroxyethylcellulose	
9003-04-7	Sodium polyacrylate	
1310-73-2	sodium hydroxide	
	Dodecamethylcyclohexasiloxane	
541-02-6	Decamethylcyclopentasiloxane	
	octamethylcyclotetrasiloxane	
112926-00-8	Silica gel, precipitated, crystalline free	

Standard for the Uniform Scheduling of Medicines and Poisons

1310-73-2 sodium hydroxide

S5, S6, S10

Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose.

(Contd. on page 9)



according to WHS Regulations

Printing date 29.11.2022 Version number 01-00 Revision: 29.11.2022

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 8)

The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet".

Misuse may cause damage to health and environment.

Contact:

Sources

- Regulation 1907/2006/EC (REACH-Regulation)
- Regulation 1272/2008/EC (CLP-Regulation)
- * Data compared to the previous version altered.

· AU