

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

1 Identification

Other means of identification

Trade name: LUCITE® 408 MultiResist Pro

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coating agent

Uses advised against

This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Dörken Coatings GmbH & Co. KG
Wetterstr. 58
58313 Herdecke
Germany
www.doerkencoatings.de

Phone: +49 2330 63 243

Fax: +49 2330 63 100 243

Further information obtainable from: msds.coatings@doerken.de**Emergency telephone number:**

Emergency CONTACT Australia (24-Hour-Number):
Infotrac/GBK GmbH +61-280735031

2 Hazard(s) Identification

Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

Label elements

GHS label elements Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void

Other hazards

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: **LUCITE® 408 MultiResist Pro**

(Contd. of page 1)

Dangerous components:

93763-70-3	amorphous alimina silicate	<5%
------------	----------------------------	-----

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

General information:

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash with plenty of soap and water.

After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

5 Fire Fighting Measures

Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO₂), carbon monoxide (CO) and nitrogen oxides (NO_x). Inhalation may cause serious health damage.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

AU

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: **LUCITE® 408 MultiResist Pro**

(Contd. of page 2)

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Avoid contact with skin and eyes.

Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Keep contaminated washing water and dispose of appropriately.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the material collected according to regulations.

Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

Handling:

Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes.
Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

Storage:

Requirements to be met by storerooms and receptacles:

Make sure spills can be contained, e.g. in sump pallets.
Protect from frost, heat and direct sunlight. Keep tightly closed, cool and dry.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

Appropriate engineering controls

Ensure a good ventilation. This can be achieved by local exhaust or general exhaust air.

Ingredients with limit values that require monitoring at the workplace:

93763-70-3 amorphous alimina silicate

WES (Australia)	Long-term value: 10 mg/m ³ inhalable dust
-----------------	---

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
-----------	---

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: **LUCITE® 408 MultiResist Pro**

(Contd. of page 3)

REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn

Regulatory information

WES (Australia): Workplace exposure standards for airborne contaminants

PEL (USA): Guide to Occupational Exposure Values (OSHA PELs)

REL (USA): Guide to Occupational Exposure Values (NIOSH RELs)

TLV (USA): Guide to Occupational Exposure Values (TLV)

Additional information: The lists valid during the making were used as basis.

Exposure controls Provide good ventilation and/or an exhaust system in the work area.

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Respiratory protection:

Breathing protection is always required when spraying.

Use combination filter A2(-P2) according to EN 14387.

Protection of hands:

Work with gloves. Gloves must be inspected for damage before use. Defective or damaged gloves must not be used. Gloves must satisfy the specifications of EC directive 89/686/EWG and standard EN 374.

Material of gloves

Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Wear protective goggles to protect against splashing.

Body protection: Impervious protective clothing

9 Physical and Chemical Properties

General Information

Appearance:

Form: Fluid

Colour: Different according to colouring

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: **LUCITE® 408 MultiResist Pro**

(Contd. of page 4)

Odour:	Low odour
Odour threshold:	Not applicable for mixtures.
pH-value at 20 °C:	10-<11.5
Change in condition	
Melting point/Freezing point:	Not security-related.
Initial boiling point and boiling range:	100 °C
Flash point:	Not applicable.
Flammability	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	For mixtures not applicable.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	In its condition as supplied, the product is neither flammable nor oxidising.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.51-1.63 g/cm ³
Vapour density	Not applicable.
Evaporation rate	For mixtures not applicable.
Solubility in / Miscibility with water:	Miscible / waterdilutable.
polar solvents:	Partly miscible.
non-polar solvents:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	For mixtures not applicable.
Viscosity:	Not security-related.
Other information	
Particle characteristics	Not applicable.
Physical state	Fluid

10 Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability Product is stable under normal storage conditions.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: strong oxidizing agents

Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

AU

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: **LUCITE® 408 MultiResist Pro**

(Contd. of page 5)

11 Toxicological Information

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: No further relevant information available.

Specific symptoms in biological assay:

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

May cause irritations.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

May cause irritations.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

General notes:

Interactive effects

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties).

12 Ecological Information

Toxicity

Aquatic toxicity: There are no statements/information available of the preparation.

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 6)

Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

PBT: Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

14 Transport information**UN-Number**

ADG, ADN, IMDG, IATA

Void

UN proper shipping name

ADG, ADN, IMDG, IATA

Void

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class

Void

Packing group

ADG, IMDG, IATA

Void

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

UN "Model Regulation":

Void

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Industrial Chemicals**

7732-18-5 | water

1317-65-3 | Limestone

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 7)

12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)
13463-67-7	Titanium dioxide
93763-70-3	amorphous alimina silicate
9004-62-0	Hydroxyethylcellulose
9003-04-7	Sodium polyacrylate
1310-73-2	sodium hydroxide
77-99-6	propylidynetrimethanol
7631-86-9	silicon dioxide, amorphous, chemically produced
112926-00-8	Synthetic amorphous silica
540-97-6	Dodecamethylcyclohexasiloxane
541-02-6	Decamethylcyclopentasiloxane
556-67-2	octamethylcyclotetrasiloxane

Standard for the Uniform Scheduling of Medicines and Poisons

1310-73-2	sodium hydroxide	S5, S6, S10
-----------	------------------	-------------

Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet".
Misuse may cause damage to health and environment.

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Date of issue: 10.06.2025

Version number 01-01

Revision: 10.06.2025

Trade name: LUCITE® 408 MultiResist Pro

(Contd. of page 8)

Contact:

Sources

- Regulation 1907/2006/EC (REACH-Regulation)
- Regulation 1272/2008/EC (CLP-Regulation)

* **Data compared to the previous version altered.**

AU